PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
A61K 9/48, 7/16

(11) International Publication Number: WO 98/42316

(43) International Publication Date: 1 October 1998 (01.10.98)

(21) International Application Number: PCT/GB98/00916

(22) International Filing Date: 25 March 1998 (25.03.98)

(30) Priority Data: 9706149.3 25 March 1997 (25.03.97) GB

(71) Applicant (for all designated States except US): R.P. SCHERER CORPORATION [US/US]; 2075 W. Big Beaver Road, Troy, MI 48007-7060 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): ROWE, Dennis [GB/GB];
 19 Branscombe Drive, Wootton Bassett, Swindon SN4 8HR
 (GB). GARNETT, Kelvin, Royce [GB/GB]; 6 Pleydells,
 Cricklade, Swindon SN6 6NG (GB). HALE, Kate [GB/GB];
 10 Horcott Road, Foxfields, Peatmoor, Swindon SN5 5BW
 (GB).
- (74) Agent: HITCHCOCK, Esmond, Antony; Lloyd Wise, Tregear & Co., Commonwealth House, 1-19 New Oxford Street, London WC1A 1LW (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: COMESTIBLE CAPSULES HAVING FLAVOURED COATINGS

(57) Abstract

A coated capsule is disclosed comprising a gelatin shell with a flavoured coating. A sugar or sugar substitute is included in the material of the shell and that of the coating to stabilise both compositions and the junction therebetween.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the P'

| Albania Armenia Austria Austrialia Azerbaijan Bosnia and Herzegovina Barbados Belgium Burkina Faso | ES FI FR GA GB GE GH GN | Spain Finland France Gabon United Kingdom Georgia Ghana | LS LT LU LV MC MD MG | Lesotho Lithuania Luxembourg Latvia Monaco Republic of Moldova | SI SK SN SZ TD TG | Slovenia Slovakia Senegal Swaziland Chad Togo |
|--|---|--|--|--|---|--|
| Bulgaria Benin Brazil Belarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Cuba Czech Republic Germany | GR HU IE IL IS IT JP KE KG KP KR | Guinea Greece Hungary Ireland Israel Iceland Italy Japan Kenya Kyrgyzstan Democratic People's Republic of Korea Republic of Korea Kazakstan Saint Lucia | MK ML MN MR MW MX NE NL NO NZ PL PT RO RU | Madagascar The former Yugoslav Republic of Macedonia Mali Mongolia Mauritania Malawi Mexico Niger Netherlands Norway New Zealand Poland Portugal Romania Russian Federation | TJ TM TR TT UA UG US UZ VN YU ZW | Tajikistan Turkmenistan Turkey Trinidad and Tobago Ukraine Uganda United States of America Uzbekistan Viet Nam Yugoslavia Zimbabwe |
| Germany Denmark | LC LI LK | Saint Lucia Liechtenstein Sri Lanka | RU SD SE | Russian Federation Sudan Sweden | | |
| | Benin Brazil Belarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Cuba Czech Republic Germany | Benin IE Brazil IL Belarus IS Canada IT Central African Republic JP Congo KE Switzerland KG Côte d'Ivoire KP Cameroon China KR Cuba KZ Czech Republic LC Germany LI Denmark LK | Benin IE Ireland Brazil IL Israel Belarus IS Iceland Canada IT Italy Central African Republic JP Japan Congo KE Kenya Switzerland KG Kyrgyzstan Côte d'Ivoire KP Democratic People's Cameroon Republic of Korea China KR Republic of Korea Cuba KZ Kazakstan Czech Republic LC Saint Lucia Germany LI Liechtenstein Denmark LK Sri Lanka | Benin IE Ireland MN Brazil IL Israel MR Belarus IS Iceland MW Canada IT Italy MX Central African Republic JP Japan NE Congo KE Kenya NL Switzerland KG Kyrgyzstan NO Côte d'Ivoire KP Democratic People's NZ Cameroon Republic of Korea PL China KR Republic of Korea PT Cuba KZ Kazakstan RO Czech Republic LC Saint Lucia RU Germany LI Liechtenstein SD Denmark LK Sri Lanka SE | Benin IE Ireland MN Mongolia Brazil IL Israel MR Mauritania Belarus IS Iceland MW Malawi Canada IT Italy MX Mexico Central African Republic JP Japan NE Niger Congo KE Kenya NL Netherlands Switzerland KG Kyrgyzstan NO Norway Côte d'Ivoire KP Democratic People's NZ New Zealand Cameroon Republic of Korea PL Poland China KR Republic of Korea PL Poland Cuba KZ Kazakstan RO Romania Czech Republic LC Saint Lucia RU Russian Federation Germany LI Liechtenstein SD Sudan Denmark LK Sri Lanka SE Sweden | Benin IE Ireland MN Mongolia UA Brazil IL Israel MR Mauritania UG Belarus IS Iceland MW Malawi US Canada IT Italy MX Mexico UZ Central African Republic JP Japan NE Niger VN Congo KE Kenya NL Netherlands YU Congo KE Kenya NL Netherlands YU Cote d'Ivoire KP Democratic People's NZ New Zealand Cameroon Republic of Korea PL Poland China KR Republic of Korea PT Portugal Cuba KZ Kazakstan RO Romania Czech Republic LC Saint Lucia RU Russian Federation Germany LI Liechtenstein SD Sudan Denmark LK Sri Lanka SE Sweden |

WO 98/42316 PCT/GB98/00916

COMESTIBLE CAPSULES HAVING FLAVOURED COATINGS

This invention relates to comestible capsules for oral administration, and particularly such capsules having flavoured or sweetened coatings. The invention is also concerned with such capsules which are intended for swallowing substantially intact, for release of the contents only when the capsule has reached the stomach.

Many medicines are relatively unpleasant to taste, and in either tablet or encapsulated form, are masked by flavoured coatings to make them more palatable. The present invention is concerned with the provision of a flavoured coating around a gelatin capsule containing a fill composition which is typically liquid, but may be paste like or even solid in some circumstances. Gelatin shells provide a useful means for encapsulating such compositions, but there are problems in applying flavoured coatings thereover. Particularly, typical coatings can provoke changes in the gelatin shell structure which can adversely affect the integrity of the capsule, and in some cases also the coating.

Typical gelatin shells used to encapsulate products comprise gelatin in combination with a plasticiser such as glycerine which, together with water preserve a degree of softness and flexibility in the shell material. Such shells are relatively easy to handle, but have disadvantages in terms of taste. This is particularly relevant to breath fresheners and, according to one aspect of the invention, a breath freshener is provided in the form of a filled gelatin capsule to which is applied a flavoured coating. Such a coated capsule is especially suitable for swallowing prior to rupture of the capsule, whereby the capsule fill is not released until the capsule shell is broken down in the stomach.

For the above and other embodiments according to the present invention, the capsule shell formulation may be adapted, and a flavoured coating applied to the

5

10

15

20

25

30

35

1

15

20

25

30

35

capsule such that at least at the boundary between them, a stable bond is formed. This enables a substantially dry coating to be created which does not draw the water or plasticiser from the gelatin shell, with the resultant adverse consequences on the shell structure. 5 This can be achieved by including in the capsule shell formulation a sugar or sugar substitute such as sorbitol, and matching it with an equivalent substance in the coating. The effect of this match is to effectively stabilise both the coating and shell formulations and in the gelatin, to prevent the migration of water and glycerine to the coating. this way, the humectents are retained in the gelatin which can thus preserve its flexibility and palatability if retained in the mouth.

As a general guide, we have established the following ranges of gelatin, glycerine, sugar or sugar substitute and water, as percentages by weight in the shell formulation, to provide a satisfactory base for a coating of for example sorbitol in solution:

 Gelatin
 33.00 - 58.00

 Glycerine
 16.00 - 31.00

 Sugar or sugar substitute
 15.00 - 30.00

 Water
 up to 15.00

Preferably, the ratio of plasticiser (Glycerine + sugar or substitute) to Gelatin is in the range 0.7 to 1.2, preferably 0.8 to 1.0, with the ratio of sugar or substitute to Glycerine in the range 0.8 to 1.2.

We have found that in order to stabilise a soft gelatin shell to which a flavoured coating is to be applied, a relatively high glycerine content must be established with a consequent reduction in the water content. Using sorbitol as the additional component in the shell, and as the basic component for the coating, we have established the following typical minimum levels of glycerine and sorbitol as percentages by weight in the dried shell formulation. The figures for gelatin

20

25

3

and water in the formulation are also given.

Glycerine 17.7 Sorbitol 16.7 Gelatin 56.7 Water 8.9

Total plasticiser: 34.4%; plasticiser to Gel ratio: 0.61

The glycerine and sorbitol levels can be further increased with consequential further reduction in the proportions of gelatin, and a typical shell formulation which is able to sustain its softness under an applied flavoured coating of sorbitol is as follows.

15 Glycerine 21.0
Sorbitol 20.0
Gelatin 50.4
Water 8.6

Total plasticiser: 41.0% Plasticiser to Gel ratio: 0.81

Experimentation has indicated that the glycerine and sorbitol levels can be increased beyond those quoted above, but we regard the following formulation as demonstrating typical maximum amounts of these components that can be retained in a viable shell structure embodying the invention.

Glycerine 29.3
Sorbitol 28.6
Gelatin 34.5
Water 7.6

Total plasticiser: 57.9%;
Plasticiser to Gel ratio: 1.8

The use of increased glycerine content in gelatin shells to provide improved and stable softness is disclosed in our International Patent Publication No. W095/00123 to which reference is directed. Formulations

10

15

20

25

of the kind disclosed in that publication can be used in the exploitation of the present invention, having regard to the above guidance in respect of the additional stabilising component.

While in the above discussion the specified sugar or sugar substitute has been sorbitol, a variety of sugar alcohols or non-reducing saccharides or polyols may be used. For example:

sorbitol; polyglycerol; mannitol; xylitol; maltitol; isomalt; corn syrup, and Anidrisorb (a proprietary mix of sorbitol, sorbitan and mannitol from Roquette Freres).

As noted above, the flavoured coating for products according to the invention is normally based on a sugar or a sugar substitute, and is typically applied to capsules as an aqueous solution in for example, a panning process. Pan coated gelatin capsules are disclosed in British published specification no. 2283899, and products may be coated according to the present invention using the techniques and parameters described therein. The eventual coating will typically be in crystalline form, and as such will tend to draw moisture from the capsule shell. By including water and a sugar or sugar substitute in both the coating material and the shell formulation, when the coating is applied a dynamic balance can be achieved. The coating will normally be applied wet, as in a pan coating process, and this itself assists in stabilising the interface between the coating and shell.

It is of course desirable to minimise the quantity of shell material in the coated product, and in this respect it is recognised that with a sufficiently stable interface and bond between the coating and shell, the coating will serve to reinforce the shell, and the shell to effectively seal the coating. Thus, if the shell thickness can be reduced such that its entire thickness is effectively bonded to the coating, then the resultant

10

15

20

25

)

product will include a bare minimum of shell material.

Fill compositions for use in products according to the invention may take many forms, and in this respect reference is directed once again to published British specification no. 2283899. Additionally though, the present invention is suitable for compositions which are not intended to be released in the mouth, but for retention in the capsule until it reaches the stomach. This applies particularly to some breath freshening compositions such as parsley seed oil which can provide a very unpleasant flavour in the mouth despite being effective as a breath freshener from the stomach. nature of the fill composition can of course have a direct effect on the integrity of the shell material, and oil based compositions such as parsley seed oil can have an additional softening effect on the shell. presence of a sugar or a sugar substitute such as sorbitol in the shell can also serve to minimise the effect of both oil based and water based fill compositions on the shell.

<u>Example</u>

A breath freshener in the form of a filled capsule embodying the present invention has the following formulations for the fill, shell and coating respectively:

| | - | | |
|----|------------------------------|-----------|--------|
| | Fill: | Quantity | %age |
| | Aspartame | 0.825mg | 0.516 |
| | Fractionated Coconut oil | 66.280mg | 41.425 |
| | Kaorich Beads | 10.888mg | 6.8 |
| 30 | Levomenthol BP/EP | 4.800mg | 3.0 |
| | Parsley Seed Oil | 0.250mg | 0.156 |
| | Peppermint flavour | 6.400mg | 4.0 |
| | Loders 7(Hard Vegetable Fat) | 23.830mg | 14.894 |
| | Ascorbic Acid | 1.500mg | 0.938 |
| 35 | Calcium Phosphate Dibasic | 41.750mg | 26.094 |
| | Lecithin thin (light) | 3.478mg | 2.174 |
| | | 160.000mg | |

| | | 6 | |
|----|--------------------|-----------|--------------|
| | Shell: | | |
| | Glycerine | 19.98mg | 19.98 |
| | Sorbitol Syrup 70% | 27.19mg | 27.19 |
| | Gelatin | _52.83mg | <u>52.83</u> |
| 5 | | 100.00mg | |
| | Coat: | | |
| | Isomalt | 184.667mg | 66.7 |
| | Sorbitol | _92.333mg | 33.3 |
| 10 | | 277.000ma | |

The fill compositions in products according to the invention can of course themselves also include flavouring elements to make them more palatable if intended or required to be released in the mouth and additional elements could also be included in the shell composition with the same purpose. However, for products to be swallowed before the fill composition is released, it is of course the flavour of the coating that is of critical importance.

10

20

25

30

35

)

CLAIMS

- 1. A coated capsule comprising a gelatin shell having a flavoured coating and containing a fill composition, wherein the flavoured coating and the material of the shell include a sugar or a sugar substitute.
- 2. A coated capsule according to Claim 1 wherein the sugar or sugar substitute in the coating material and the shell is the same.
- 3. A coated capsule according to Claim 1 or Claim 2 wherein the material of the shell comprises gelatin and a plasticiser in addition to the sugar or sugar substitute.
- 4. A coated capsule according to Claim 3 wherein the dry composition of the shell material comprises by weight:

Gelatin 33 to 58%
Glycerine 16 to 31%
Sugar or sugar substitute 15 to 30%
Water up to 15%

- 5. A coated capsule according to claim 4 wherein the quantity of water in the shell composition is no more than 10% by weight.
- 6. A coated capsule according to Claim 4 or Claim 5 wherein the ratio of plasticiser (Glycerine + sugar or sugar substitute) to Gelatin in the shell composition is in the range 0.8 to 1.0.
 - 7. A coated capsule according to any of Claims 4 to 6 wherein the ratio of sugar or sugar substitute to Glycerine is in the range 0.8 to 1.2.
 - 8. A coated capsule according to any preceding Claim wherein the sugar or sugar substitute is selected from the group consisting of sorbitol, polyglycerol, mannitol, xylitol, maltitol, isomalt, and corn syrup or mixtures thereof.

- 9. A coated capsule according to any preceding Claim wherein the flavoured coating comprises an aqueous solution or the sugar or sugar substitute.
- 10. A coated capsule comprising a gelatin shell having a flavoured coating and containing a breath freshening fill composition.
 - 11. A coated capsule according to any of Claims 1 to 9 wherein the fill composition is a breath freshener.
- 12. A coated capsule according to Claim 10 or Claim 11 wherein the fill composition comprises parsley seed oil.

15

5

INTERNATIONAL SEARCH REPORT

onal Application No

PCT/GB 98/00916 a. classification of subject matter IPC 6 A61K9/48 A61K A61K7/16 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) A61K A23L A23P Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Category Citation of document, with indication, where appropriate, of the relevant passages GB 2 283 899 A (ESMOND ANTONY HITCHCOCK) 1,3,8,9 X 24 May 1995 cited in the application see page 1, line 13 - page 2, line 10 1,3,8,9 Α WO 95 00123 A (R.P. SCHERER CORPORATION) 5 January 1995 cited in the application see page 8, line 8 - line 32 1,3,5, WO 84 03417 A (R.P. SCHERER CORPORATION) γ 7-11 13 September 1984 see page 9, line 5 - line 9 EP 0 374 359 A (PHARMACAPS, INC.) 27 June 1,3,4, Υ 6-11 1990 see page 3, line 19 - line 25 -/--Patent family members are listed in annex. Further documents are listed in the continuation of box C. Χ Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publicationdate of another "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docucitation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of mailing of the international search report Date of the actual completion of theinternational search 22/07/1998 16 July 1998 Authorized officer Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,

Form PCT/ISA/210 (second sheet) (July 1992)

Fax: (+31-70) 340-3016

Benz, K

1

INTERNATIONAL SEARCH REPORT

Inte onal Application No PCT/GB 98/00916

| C.(Continu | lation) DOCUMENTS CONSIDERED TO BE RELEVANT | PCT/GB 98 | 3/00916 | |
|------------|--|-----------|-----------------------|--|
| Category | Citation of document, with indication, where appropriate, of the relevant passages | | | |
| | | | Relevant to claim No. | |
| Y | EP 0 317 510 A (GREITHER, PETER) 24 May 1989 see the whole document | | 1,3-11 | |
| r | FR 2 155 286 A (BORGMANN GERHARD) 18 May 1973 | | 1,3-11 | |
| 1 | see the whole document FR 2 535 608 A (DUBARRY PHILIPPE ET AL.) 11 May 1984 | | 2 | |
| | see page 6, line 28 - page 7, line 5 see page 8, line 35 - page 9, line 16 | | | |
| \ | WO 95 12380 A (PILI, EMANUELE) 11 May 1995 see the whole document | | 12 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | - | , | | |
| | | | | |
| | | | | |
| | | | | |

1

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

information on patent family members

Inte ional Application No PCT/GB 98/00916

| Patent document cited in search report | | Publication date | | Patent family member(s) | Publication date |
|---|---|------------------|----------|----------------------------|--------------------------|
| GB 2283899 | Α | 24-05-1995 | NONE | | |
| WO 9500123 | A | 05-01-1995 | AU | 679755 B | 10-07-1997 |
| | | | AU | 6978894 A | 17-01-1995 |
| | | | BR | 9406967 A | 27-08-1996 |
| | | | CA | 2165783 A | 05-01-1995 |
| | | | DE | 69408321 D | 05-03-1998 |
| | | | EP | 0706379 A | 17-04-1996 |
| | | | ES | 2112547 T | 01-04-1998 |
| | | | JP | 8511795 T | 10-12-1996 |
| WO 8403417 | Α | 13-09-1984 | ĐE | 3307353 A | 06-09-1984 |
| | | | AU | 567448 B | 19-11-1987 |
| | | | AU | 2690384 A | 28-09-1984 |
| | | | CA | 1211712 A | 23-09-1986 |
| | | | EP | 0120248 A | 03-10-1984 |
| | | | JP | 6017303 B | 09-03-1994 |
| | | | JP | 60500623 T | 02-05-1985 |
| | | | US | 4744988 A | 17-05-1988 |
| EP 374359 | Α | 27-06-1990 | US | 4935243 A | 19-06-1990 |
| | | | AU | 616139 B | 17-10-1991 |
| | | | AU | 3811089 A | 21-06-1990 |
| | | | CA | 1336499 A | 01-08-1995 |
| | | | JP | 2212417 A | 23-08-1990 |
| | | | MX | 166393 B | 06-01-1993 |
| EP 317510 | Α | 24-05-1989 | DE | 3869337 A | 23-04-1992 |
| FR 2155286 | Α | 18-05-1973 | NON | E | |
| FR 2535608 | Α | 11-05-1984 | NON | E | |
| WO 9512380 | Α | 11-05-1995 | IT AU | 1261861 B 8114894 A | 03-06-1996 23-05-1995 |

Ŋ

rage Blank (uspto)